


GAUDENZI
SILVER CARBON





GAUDENZI SILVER CARBON




Silver Carbon metal sheet is mainly used in processing of **petfood**, **fishfood** and processing of **wood**.

It is the result of years of internal research and development Gaudenzi.

HEAT TREATMENT

The strengths of this product are the particular perforation with an angle of 65° and the **metal hardening** treatment that is performed on each piece.

The treatment creates an anti-wear barrier with a surface hardness of **850 Vickers**. The result will be an increase in the life of the metal sheet.

 Ø HOLE MM	 THICKNESS MM	 OPEN AREA %
4.0	2	16
3.0	2	21.5
2.5	2	17.5
2.0	2	16
1.5	2	10
1.2	1	17
1.0	1	10
0.8	1	12
0.7	1	11
0.6	1	9
0.5	1	8
0.4	1	6



HOLE 65° ANGLE



HOLE Ø 0.4-4MM




HARDNESS 850HV

P E R F O R A T I O N

The other strength of the SC is the perforation with an **angle of 65°**. This particular metal sheet processing shape of the ridges which guarantee perfect pulverization of the product, which is expelled through the holes at maximum speed.

The ridges, therefore, allow the tendency towards clogging to be reduced to a minimum. As a result, downtime for maintenance will be reduced, thus ensuring a very high grinding speed.

Our **internal carpentry** completes the product with calendering, folding and welding so that it is tailor-made for the machinery.




PITCH

HOLE DIAMETER

STRAND WIDTH

SENSE OF
GRINDING



GAUDENZI
dal 1891



GAUDENZI.IT
+39 049 88 09 422
gaudenzi@gaudenzi.it